TOWN OF KEEDYSVILLE, MARYLAND

"Where Northern Thrift and Personality Blend with Southern Charm and Hospitality"

P.O. Box 359 19 South Main Street Keedysville, MD 21756 301-432-5795 www.keedysvillemd.com



Ken Lord, Mayor Brandon Sweeney, Assistant Mayor Judy Kerns, Council Matthew Hull, Council Sarah Baker, Council

Water Commission
Minutes
January 5, 2022

Approved

The monthly meeting of the Keedysville Water Commission was called to order at 7:53pm with the following present: Mayor Ken Lord, Assistant Mayor Brandon Sweeney, Council Members Judy Kerns, Matt Hull, and Sarah Baker, Town Attorney Ed Kuczynski, and Town Administrator Lisa Riner.

The minutes for the December 1, 2021 meeting were approved.

General Fund report was \$109,459.30.

The announcements from the agenda were read.

The water asset inventory is still in the works. There are no updates.

There are also no updates on radio tower reads. The expense is causing some hesitation on Boonsboro's part.

There was a small water leak at Wyand & Yankee in the vault box. Huntzberry fixed it.

Boonsboro is having issues in Crestview with high water pressure, which has been going on for about the past ten years. They are moving forward with a study to determine potential corrections. Keedysville is going to pay their percentage of the cost of the study, as agreed during the Boonsboro Keedysville Water Advisory Board (BKWAB) meeting. Keedysville's portion will be around \$3,700. Mr. Hull doesn't mind helping with the study, but he doesn't think Keedysville should share the cost of the fix.

The BKWAB completed the true up between the towns several months ago. Keedysville received a check back for around \$15,000. Keedysville's actual was well under budget. Keedysville's usage was less, there wasn't as much spent on capital improvements as projected, and Boonsboro's overall operating expenses were down.

Keedysville's annual total projected expense for the new year is \$83,531. There was discussion about whether the Council needs to approve that number. It was decided that approval was not necessary.

Justin Holder inquired about sewer to his properties on Antietam Dr. Mr. Sweeney recommended that he call Washington County. Mr. Holder would like the Town's support in going to the County. Mr. Sweeney said he supports Mr. Holder calling the County.

Meeting adjourned at 8:00pm. Respectfully Submitted, Lisa Riner Town Administrator

TOWN OF KEEDYSVILLE, MARYLAND

"Where Northern Thrift and Personality Blend with Southern Charm and Hospitality"

P.O. Box 359 19 South Main Street Keedysville, MD 21756 301-432-5795 www.keedysvillemd.com



Ken Lord, Mayor Brandon Sweeney, Assistant Mayor Judy Kerns, Council Member Matthew Hull, Council Member Sarah Baker, Council Member

Mayor & Council and Water Commission Meeting January 5, 2022

All attendees must sign in. Attendee comments will only be heard during the appropriate time in the agenda. Those wishing to be heard <u>must</u> check the appropriate box. Comments will be limited to three minutes each.

NAME	ADDRESS	PHONE	WISH TO BE HEARD
Justin Hado	308 in Chaplibe Sharpshire 1710 217	182 356 2008	J No
Karent	6367 Coffman Farms Ro	d 240-818-40	10
Larry Mat	Ja Keedysville, MD 21756		
ERIC	MATSV		
M-DATE CONTROL OF THE PARTY OF			
HAMPING THE RESIDENCE OF THE PERSON OF THE P			
***************************************		3	
Minoral Annual Management and Annual			

TOWN OF KEEDYSVILLE, MARYLAND

"Where Northern Thrift and Personality Blend with Southern Charm and Hospitality"

P.O. Box 359 19 South Main Street Keedysville, MD 21756 301-432-5795 www.keedysvillemd.com



Ken Lord, Mayor Brandon Sweeney, Assistant Mayor Judy Kerns, Council Matthew Hull, Council Sarah Baker, Council

Water Commission Agenda January 5, 2022

Call to Order

Approval of Minutes: December 1, 2021

General Fund Report: \$109,459.30

Announcements: Boonsboro Keedysville Water Advisory Board Meetings to discuss new agreement with Boonsboro on Thursdays, January 6, 13, and 27

Old Business: Water Asset Inventory; Radio Tower Reads; Leak at Wyand & Yankee

New Business: Booster Pump Station Pressure Study

Comments by Residents

Comments by Commission

Adjournment